



NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIALS AND COMPONENTS ARE RoHS/REACH COMPLIANT.
2. CONNECTORS MEET THE REQUIREMENTS OF ANSI/TIA 568-C.3
3. 100% TESTED FOR OPTICAL PERFORMANCE, END FACE CRITERIA AND CLEANLINESS.
4. CLIPPED A-B / B-A.
5. CABLE ASSEMBLIES ARE MANUFACTURED TO C ENTERPRISES STANDARDS.
6. STANDARDS AND SPECIFICATIONS AVAILABLE UPON REQUEST.

| REV | ECR | DESCRIPTION     | BY   | DATE       | CHECKED |
|-----|-----|-----------------|------|------------|---------|
| A   | -   | INITIAL RELEASE | M.K. | 11/19/2018 | A.J     |



DESCRIPTION: LC-UNIBOOT PC / LC-UNIBOOT PC x 2-FIBER OM4 MIC 250 um OFNR 2.0 mm ROUND CABLE

|           |            |            |
|-----------|------------|------------|
| DRAWN BY: | M. KHANFIR | 11/19/2018 |
| APVD BY:  | A. JENSEN  | 11/19/2018 |



C ENTERPRISES  
2445 CADES WAY  
VISTA CA 92081  
760-599-5111

| BILL OF MATERIALS |     |   |
|-------------------|-----|---|
| ITEM              | QTY | COMPONENT   |
| 2                 | AR  | MULTIMODE OM4 MIC 250 um OFNR 2.0 mm CABLE, AQUA: CORNING GLASS AND PRINT, PERFORMA |
| 1                 | 2   | LC-UNIBOOT PC POLISH, BLACK HOUSING, AQUA BOOT: PERFORMA                            |

| PC TEST LIMITS AT 1300 nm |           |           |           |
|---------------------------|-----------|-----------|-----------|
| MAX. I.L.                 | TYP. I.L. | MIN. R.L. | TYP. R.L. |
| ≤0.75dB                   | 0.20dB    | N/A       | N/A       |

DIMENSIONS: METRIC [IMPERIAL]  
 PROPRIETARY AND CONFIDENTIAL  
 THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF C ENTERPRISES. NOT TO BE USED, COPIED, OR DISCLOSED WITHOUT WRITTEN PERMISSION. ALL RIGHTS RESERVED.

|   |                             |
|---|-----------------------------|
| TITLE: LC-UNIBOOT/ LC-UNIBOOT OM4 OFNR 2 mm |                             |
| SIZE<br>A                                   | DWG. NO.<br>HPRG02LSLSXXXPX |
| REV<br>A                                    | SCALE: NOT TO SCALE         |
| SHEET 1 OF 1                                |                             |